



# MIDLITE®

QUALITY CUSTOM PRODUCTS

THEATER • TELECOM • DATA • WIRED DEVICES • POWER SOLUTIONS



## HOME STYLE SOLUTIONS

tel 508.676.5169 • toll free 800.606.5169 • fax 508.861.0105

[www.midlite.com](http://www.midlite.com)



**We are growth oriented:**

We continue to innovate and develop unique custom products, hold patent positions and leverage the patents into new applications. We provide competitive pricing by outsourcing manufacturing locally and abroad. Our customers are supported by well-organized and managed warehousing. Regardless the size of your distribution or order fulfillment needs we can maintain inventory levels to meet your demand through our growing distribution network

**Business Principles:**

We believe that distributors' who do business strictly on price and margin and not consider the product quality and design features eventually will end with the least desired products and profit margins. And in the end, will have a harder time differentiating themselves from the competition and become less competitive and less likely to grow.

**This edict has guided MIDLITE to follow these business principles:**

1. Lead in innovative product design
2. Establish competitive pricing based on value versus utility, not by being the least expensive.
3. Design products that differentiate the MIDLITE brand from the competition
4. Strive for product excellence
5. Focus continuous improvement on all aspect of business
6. Manufacture quality products, and most important
7. Provide more value in our product design and services than the competition.


**Business Charter and Responsibility:**

Our business charter is to deliver quality innovative products at a great value that are easy to install, provide flexibility in the field, that make the installation aesthetically pleasing, brand MIDLITE to product quality, and of course to save the installer money in labor and material content.


**Environmental Responsibility:**

We design products with an "environmentally conscious being" by recognizing the features of a product application and designing them with engineering integrity and with the least material content possible. We believe oversized products in any product category that consume excess components, plastic and metal are not better but wasteful. Help us bring environmental consciousness to the markets we serve by buying MIDLITE's products.


**TABLE OF CONTENTS**



**IN-WALL POWER SOLUTIONS**  
 HDTV Power Relocation Kit..... 4  
 Combination Receptacle/  
 USB Charger Relocation Kit ..... 5  
 Combination Receptacle/USB Power Cord  
 Relocation Kit..... 5  
 Overmolded Décor Duplex Receptacle Kit..... 6  
 Overmolded Décor IEC Power Inlet Kit..... 6




**POWER RELOCATION & CABLE MANAGEMENT**  
 Double Gang Décor In-Wall  
 Power HDTV Solution Kit..... 7  
 Décor Recessed Receptacle Hi-Low Kit and  
 Décor Wireport™ Plate..... 7  
 Single Gang Décor In-Wall Power  
 HDTV Solution Kit..... 8  
 Power+Port™ HDTV Power Solution Kit ..... 9  
 Power+Port™ HDTV Power Solution Components..... 9  
 Power+Port™ Recessed Receptacle Hi-Low Kit..... 10  
 Power+Port™ Recessed Receptacle Hi-Low Kit and  
 Wireport™ Plate with Grommet..... 10  
 Metal Recessed Receptacle..... 10



**CUSTOM METAL WALL PLATES**  
 Metal Wireport™ and SplitPort™ Plates..... 11



**IN-WALL CABLE MANAGEMENT**  
 Speed Port..... 12  
 Custom 360™ Right Angle HDMI Adapter  
 and Wall Plate ..... 12  
 Décor Brush Plate..... 13  
 Pocket Plate All-in-One  
 Recessed Box/Wallplate Combo..... 13  
 Wireport™ Wall Plates ..... 14  
 Duplex Receptacle and Wireport™ with Grommet ... 14  
 Wireport™ Wall Plates and Grommet..... 15  
 Cable Vent™ Recessed Reversible Wall Plate..... 15  
 Split Port+ Wall Plates ..... 16  
 Split Port Wall Plates ..... 16  
 Split Port Recessed Plate..... 17



**FASTENERS & SCREW HARDWARE**  
 Wall Plate Breakaway Screws..... 17  
 Steel Safety Plates ..... 17



**CABLE SLEEVING**  
 Wire Braided Wrap Sleeving ..... 18  
 Pit-Flange™ Cable Sleeving..... 18

**SURGE PROTECTION & ACCESSORIES**  
 Smart Strip ..... 19  
 In-Line Surge and Lightning Suppressor  
 with RFI Filtering..... 19  
 Power Cord Adapter..... 19  
 Hot Knife..... 19

# Power Jumper™

## All-in-One HDTV Power Relocation Kit

The Easiest, Fastest Kit to Install!

**NEW!**



**22APJW-7R**

- Easiest Installation - 1-Piece Design
- 1.5" Recessed depth
- Feed power remotely to your HDTV flat panel and hide cables behind the wall
- Protect HDTV flat panel with remote surge protection near your A/V gear & equipment
- Pre-wired - no electrician required
- Perfect for retro-fit construction projects
- Power Rating 15A, 125V
- Meets NEC Code
- UL Rated 817D, CSA STD 22.2 42.1-00

**Kit includes:**

- 7' Pre-wired Premise Powered Power Feed (qty 1)
- 2-Gang All-in-One Recessed Boxes (qty 2)
- 1-Gang Décor Brush Plates (qty 2)
- 6 ft. Right Angle IEC 60320 CY13 to NEMA 5-13P Cord Set (qty 1)



**Power Jumper All-in-One HDTV Power Relocation Kit**

Part No.	Color	Recessed Depth
22APJW-7R	White	1.5"
22APJLA-7R	Light Almond	
22APJIV-7R	Ivory	
22APJB-7R	Black	



Fastens with Just 2 Mounting Screws



Décor Straps Install From Behind

**NEW!**



**22APJW-7R-MC**

**Kits also available with Metal-Clad Wiring**

**Power Jumper Metal Clad All-in-One HDTV Power Relocation Kit**

Part No.	Color	Recessed Depth
22APJW-7R-MC	White	1.5"
22APJLA-7R-MC	Light Almond	
22APJIV-7R-MC	Ivory	
22APJB-7R-MC	Black	



**Kit includes:**

- 7' Metal Clad Pre-wired Premise Powered Power Feed (qty 1)
- 2-Gang All-in-One Recessed Boxes (qty 2)
- 1-Gang Décor Brush Plates (qty 2)
- 6 ft. Right Angle IEC 60320 CY13 to NEMA 5-13P Cord Set (qty 1)

Products shown patent pending

# Power Jumper™

## Décor Power Jumper™

Part No.	Color
PJW-7R	White

### Kit includes:

- 7 ft. Pre-wired Premise Powered Power Feed (qty 1)
- 6 ft. Right Angle IEC 60320 CY13 to NEMA 5-13P Cord Set (qty 1)
- Décor Wall Plate (qty 2)

## Décor Power Jumper™ with Mounting Brackets

Part No.	Color
PJW-7R2	White

### Kit includes:

- 7 ft. Pre-wired Premise Powered Power Feed (qty 1)
- 1-Gang Low Voltage Mounting Bracket (qty 2)
- 6 ft. Right Angle IEC 60320 CY13 to NEMA 5-13P Cord Set (qty 1)
- Décor Wall Plate (qty 2)

Kits also available with Metal-Clad Wiring




**NEW!**

# HDTV Power Relocation Kit

- Easily relocate power behind the wall to your flat panel display
- Cable is pre-wired and requires no electrical wiring by the installer
- Mounts to Recessed or Standard Low Voltage Brackets
- NEC Code Compliant
- ETL listed, UL Rated 817D, CSA STD 22.2 42.1-00

**NEW!**



**Pre-wired - No Wiring Required**



**PJW-7R2**



### Kit includes:

## PJW-7R2-MC

- 7 ft. Metal Clad Pre-wired Premise Powered Power Feed (qty 1)
- 1-Gang Low Voltage Mounting Bracket (qty 2)
- 6 ft. Right Angle IEC 60320 CY13 to NEMA 5-13P Cord Set (qty 1)
- Décor Wall Plate (qty 2)

### Kit includes:

## PJW-7R-MC

- 7 ft. Metal Clad Pre-wired Premise Powered Power Feed (qty 1)
- 6 ft. Right Angle IEC 60320 CY13 to NEMA 5-13P Cord Set (qty 1)
- Décor Wall Plate (qty 2)



# Décor In-Wall Power Components

## Overmolded IEC Power Inlet and Décor Wall Plate w/ screw hardware

Part No.	Color
IEC-46W	White



- The IEC wall plate fits flush to wall, typically used in A/V and appliance applications such as Flat Screen TVs and Projectors
- Installs into a standard 14 cu. inch or larger electrical box
- 120 Vac, 15 Amp, 60 Hz.
- 6" NM-B 14-2 Pigtail • ETL Listed - UL and CSA Rated
- Use with 6RA-W power cord (sold separately)



**IEC-46W**



## Combination Receptacle/USB Charger Relocation Kit

- Easily relocate power behind end tables
- Cable is pre-wired and requires no electrical wiring by the installer
- Mounts to Recessed or Standard Low Voltage Brackets
- ETL listed, UL Rated 817D, CSA STD 22.2 42.1-00

### Receptacle

- UL Listed Receptacle 351B
- ETL Listed Assembly
- Tamper Resistant
- Power Rating: 15A-125V

### USB

- Easily charge cell phones/MP3 players
- Save space - no adapter required
- USB Power Rating: 5V DC/CC 700mA
- Indicator light confirms charging status

3 ft. Pre-wired Power Feed



**NEW!**

**PJUSB-3**

### Combination Receptacle/USB Charger Relocation Kit

Part No.	Color
PJUSB-3	White
PJUSB-3B	Black

#### Kit includes:

- 3 ft. Pre-wired Premise Powered Power Feed (qty 1)
- 1-Gang Low Voltage Mounting Bracket (qty 2)
- 6 ft. Right Angle IEC #0320 CY13 to NEMA 5-13P Cord Set (qty 1)
- Décor Wall Plate (qty 2)



## Combination Receptacle/USB Power Cord Relocation Kit

- Conveniently relocates power and USB to your desk, wall or office area
- Cable is pre-wired and requires no electrical wiring by the installer
- Mounts directly to surface or onto a Standard Low Voltage Bracket
- ETL listed, UL Rated 817D, CSA STD 22.2 42.1-00

### Receptacle

- UL Listed Receptacle 351B
- ETL Listed Assembly
- Tamper Resistant
- Power Rating: 15A-125V

### USB

- Easily charge cell phones/MP3 players
- Save space - no adapter required
- USB Power Rating: 5V DC/CC 700mA
- Indicator light confirms charging status



**PC2RB**

**NEW!**

### Combination Receptacle/USB Power Cord Relocation Kit

Part No.	Color
PC2RB	Black
PC2RW	White

#### Kit includes:

- 2 ft. Pre-wired Power Cord (qty 1)
- Décor Wall Plate (qty 1)

## Overmolded Décor Duplex Receptacle Kit



OM52D



Easily gang together with multi-gang wall plate.



Pre-wired 6" pigtail

- Provide remote power and utilize shallow depth installation with the MIDLITE® Overmolded Décor Receptacle
- The décor receptacle wall plate fits flush to wall, typically used in A/V and appliance applications such as Flat Screen TVs and Projectors
  - Installs into a standard 14 cu. inch or larger electrical box
  - 120 Vac, 15 Amp, 60 Hz.
  - ETL Listed - UL and CSA Rated

### Overmolded Décor Duplex Receptacle and Décor Wall Plate w/ screw hardware

Part No.	Color
OM52D	White

#### Kit includes:

- Overmolded Décor Receptacle with 6" NM-B 14-2 Pigtail (qty 1)
- Wall Plate w/ screw hardware (qty 1)



Intertek  
3163781

Custom Lengths Available

Optional Splice Kit for easy installation



Eliminates clearance issues and installs with just a mounting bracket.



Patent Pending

## Overmolded Décor IEC Power Inlet Kit

- Provide remote power and surge protection to your wall mounted HDTV
- The IEC wall plate fits flush to wall, typically used in A/V and appliance applications such as Flat Screen TVs and Projectors
- Installs into a standard 14 cu. inch or larger electrical box
- 120 Vac, 15 Amp, 60 Hz.
- ETL Listed - UL and CSA Rated

### Overmolded Décor IEC Power Inlet with Décor Wall Plate & 6 ft Right Angle Power Cord

Part No.	Color
IEC-46W-6RA	White

#### Kit includes:

- Overmolded Power Inlet with 6" NM-B 14-2 Pigtail (qty 1)
- 6 ft. Right Angle Power Cord (qty 1)
- Wall Plate w/ screw hardware (qty 1)

\*Kits can be ordered with 14-2 Romex. Specify length with 6, 8, or 10 ft. at end of part number

Optional Splice Kit eliminates use of electrical box



Eliminates clearance issues and installs with just a mounting bracket.

1/2" Drywall

3/4"



Pre-wired 6" pigtail

IEC-46W-6RA



ETL  
Intertek  
3163781

Patent Pending



LV1



LVDR2



B114R



NMSK

### Additional Accessories

Part No.	Description
B114R	1-Gang Retro Work PVC box
LV1	1-Gang Low Voltage Mounting Bracket
LVDR2	2-Gang Dual Voltage Retro Work PVC Box
NMSK	Non-Metallic Splice Kit

# Power+Port Recessed Receptacle Hi-Low Kit

• ETL Listed Conforms to UL STD 514D and Certified CSA STD 22.2 42.1-00

## Power+Port™ Recessed Receptacle Kit

Part No.	Color	Plug Clearance
2A5251-W	White	1.4"
2A5251-LA	Light Almond	1.4"
2A5251-I	Ivory	1.4"
2A5251-B	Black	1.4"

• Power Rating 15A, 125V, 5 year warranty



**2A5251-W**

### Kit includes:

- 2-Gang Splitplate Recessed Receptacle & Wireport™ with Grommet (qty 1)
- 2-Gang Dual Voltage Retro Work PVC boxes (qty 1)



# Power+Port Recessed Receptacle Hi-Low Kit and Wireport™ Plate with Grommet

## Power+Port™ Recessed Receptacle Kit & Wireport™ Plate with Grommet

Part No.	Color	Plug Clearance
2A5251-1G-W	White	1.4"
2A5251-1G-LA	Light Almond	1.4"
2A5251-1G-I	Ivory	1.4"
2A5251-1G-B	Black	1.4"

The basic Power+Port™ wall plate design to install power and low voltage cables behind your flat panel HDTV and pass low voltage cables through the wall from your A/V equipment.



**2A5251-1G-W**

### Kit includes:

- 2-Gang Splitplate Recessed Receptacle and Wireport™ with Grommet (qty 1)
- 1-Gang Wireport™ Plate with Grommet (qty 1)
- 2-Gang Dual Voltage Retro Work PVC boxes (qty 1)
- 1-Gang Low Voltage Mounting Bracket (qty 1)



- Perfect for retro-fit construction projects
- Power Rating 15A, 125V, 5 year warranty
- ETL Listed Conforms to UL STD 514D and Certified CSA STD 22.2 42.1-00

All Power+Port™ Plates shown are Patented

# Overmolded Décor IEC Power Inlet Kit - 20 Amp

## 20 Amp Overmolded Décor IEC Power Inlet with Décor Wall Plate & 6 ft Right Angle Power Cord

Part No.	Color
IEC20-46W-6RA	White

- Provide remote power and surge protection to your wall mounted HDTV
- The IEC wall plate fits flush to wall, typically used in A/V and appliance applications such as Flat Screen TVs and Projectors.
- Installs into a standard 14 cu. inch or larger electrical box
- 120 Vac, 20 Amp, 60 Hz.
- ETL Listed - UL and CSA Rated

Pre-wired 6" pigtail

**NEW!**

**IEC20-46W-6RA**



Intertek 3163781



Patent Pending

# Easily Hide Power & A/V Cables Behind the Wall

## Power+Port™ HDTV Power Solution

Device power & low voltage can be installed separately for easier installation!



- Feed power remotely to your HDTV and hide cables behind the wall
- Protect HDTV flat panel with remote surge protection near your A/V gear and equipment
- Plates separate for easy installation of power separate from low voltage cables
- Deepest recessed depth available

### A2GESR-W


- ETL Listed Conforms to UL STD 514D
- Certified CSA STD 22.2 42.1-00
- Power Rating 15A, 125V, 5 yr warranty

#### Kit includes:

- 2-Gang Splitplate Recessed Receptacle and Wireport™ with Grommet (qty 1)
- 2-Gang Splitplate Power Inlet and Wireport™ with Grommet (qty 1)
- 2-Gang Dual Voltage Retro Work PVC boxes (qty 2)
- 14 gauge, 15 amp Power Cord (qty 1)



\*Kits can be ordered with 14-2 Romex. Specify length with 6, 8, or 10 ft. at end of part number



Kits available with 3 ft. or 6 ft. power cable

### Power+Port™ Kit - HDTV Power Solution Kit, 3 ft Cord

Part No.	Color	Plug Clearance
A2GESR-W-3	White	1.4"
A2GESR-LA-3	Light Almond	1.4"
A2GESR-I-3	Ivory	1.4"
A2GESR-B-3	Black	1.4"

### Power+Port™ Kit - HDTV Power Solution Kit, 6 ft Cord

Part No.	Color	Plug Clearance
A2GESR-W	White	1.4"
A2GESR-LA	Light Almond	1.4"
A2GESR-I	Ivory	1.4"
A2GESR-B	Black	1.4"

## Power+Port™ HDTV Power Solution Components



2GESR-5251-W

2GESP-GR10-W

### Splitplate Recessed Receptacle, w/screw hardware

Part No.	Color	Plug Clearance
2GESR-5251-W	White	1.4"
2GESR-5251-LA	Light Almond	1.4"
2GESR-5251-I	Ivory	1.4"
2GESR-5251-B	Black	1.4"

### Splitplate Wireport™ with Grommet, w/screw hardware

Part No.	Color
2GESP-GR10-WH	White
2GESP-GR10-LA	Light Almond
2GESP-GR10-IV	Ivory
2GESP-GR10-BK	Black

Hole Size (Dia.) 1.425"  
Hole Area (Sq. In.) 1.59"



2GESR-5266-W

2GESP-GR10-W

### Splitplate Recessed Power Inlet, w/screw hardware

Part No.	Color	Plug Clearance
2GESR-5266-W	White	1.4"
2GESR-5266-LA	Light Almond	1.4"
2GESR-5266-I	Ivory	1.4"
2GESR-5266-B	Black	1.4"

- Feed power remotely to your HDTV flat panel and hide cables behind the wall
- Plates separate for easy installation of power separate from low voltage cables
- Multiple wall plate combinations can be built at the job site
- ETL Listed Conforms to UL STD 514D and Certified CSA STD 22.2 42.1-00
- Power Rating 15A, 125V, 5 year warranty

### Additional Accessories

Part No.	Description
6W	14 gauge, 15 amp 6ft. White Power Cord
3B	14 gauge, 15 amp 3ft. Black Power Cord
6B	14 gauge, 15 amp 6ft. Black Power Cord
LV1	1-Gang Low Voltage Mounting Bracket
LVDR2	2-Gang Dual Voltage Retro Work PVC Box



6W 6 ft.

3B 3 ft.

6B 6 ft.



LVDR2



LV1

All Power+Port™ Plates shown are Patented




# In-Wall POWER SOLUTIONS™

## Single Gang Décor In-Wall Power HDTV Solution Kit



**A46-W**



**Kit includes:**

- 1-Gang Décor Recessed Receptacle (qty 1)
- 1-Gang Décor Recessed Power Inlet (qty 1)
- 1-Gang Retro Work Box PVC boxes (qty 2)
- 14 gauge, 15 amp White Power Cord (qty 1)

\*Kits can be ordered with 14-2 Romex. Specify length with 6, 8, or 10 ft. at end of part number



**Kits available with 3 ft. or 6 ft. power cable**

- Feed power remotely to your HDTV flat panel and hide the cables behind the wall
- Protect HDTV flat panel with remote surge protection near your AV gear and equipment
- Build your own custom power & low voltage plates
- Perfect for retro-fit construction projects
- Power Rating 15A, 125V, 5 year warranty
- ETL Listed Conforms to UL STD 514D and Certified CSA STD 22.2 42.1-00

Single Gang Décor In-Wall Power Solution Kit, 3 ft Cord		
Part No.	Color	Plug Clearance
A46-W-3	White	1.1"
A46-LA-3	Light Almond	1.1"
A46-I-3	Ivory	1.1"
A46-B-3	Black	1.1"

Single Gang Décor In-Wall Power Solution Kit, 6 ft Cord		
Part No.	Color	Plug Clearance
A46-W	White	1.1"
A46-LA	Light Almond	1.1"
A46-I	Ivory	1.1"
A46-B	Black	1.1"

## Décor In-Wall Power Components

### Décor power modules for custom build of wall plates with décor keystone inserts

- Gang together keystone décor plates and build custom plate connector combinations
- Power Rating 15A, 125V, 5 year warranty • ETL Listed Conforms to UL STD 514D and Certified CSA STD 22.2 42.1-00



Décor Recessed Receptacle			
Part No.	Color	Plug Clearance	
4641-W	White	1.1"	
4641-LA	Light Almond	1.1"	
4641-I	Ivory	1.1"	
4641-B	Black	1.1"	

**4641-W**



Décor Recessed Power Inlet			
Part No.	Color	Plug Clearance	
4642-W	White	1.1"	
4642-LA	Light Almond	1.1"	
4642-I	Ivory	1.1"	
4642-B	Black	1.1"	

**4642-W**



Additional Accessories	
Part No.	Description
3B	14 gauge, 15 amp 3ft. Black Power Cord
6B	14 gauge, 15 amp 6ft. Black Power Cord
6W	14 gauge, 15 amp 6ft. White Power Cord
B114R	1-Gang Retro Work PVC Box
LV1	1-Gang Low Voltage Mounting Bracket
LVDR2	2-Gang Dual Voltage Retro Work PVC Box



**B114R**



**LV1**



**LVDR2**



**6W** 6 ft.




**6B** 6 ft.

**3B** 3 ft.



# Easily Hide Power & A/V Cables Behind the Wall

## Double Gang Décor In-Wall Power HDTV Solution Kit



**2A46-W**

**Kit includes:**

- 1-Gang Décor Recessed Receptacle (qty 1)
- 1-Gang Décor Recessed Power Inlet (qty 1)
- Décor-Style Wireport™ Plate (qty 2)
- Double Gang Décor Wall Plate (qty 2)
- 2-Gang Dual Voltage Retro Work boxes (qty 2)
- 14 gauge, 15 amp White Power Cord (qty 1)

\*Kits can be ordered with 14-2 Romex. Specify length with 6, 8, or 10 ft. at end of part number



Combine low voltage & power together in a décor style plate

- Feed power remotely to your HDTV and hide cables behind the wall
- Gang together keystone décor plates and build your own custom power & low voltage combinations
- ETL Listed Conforms to UL STD 514D and Certified CSA STD 22.2 42.1-00
- Perfect for retro-fit construction projects
- Power Rating 15A, 125V, 5 yr warranty



Kits available with 3 ft. or 6 ft. power cable

Double Gang Décor In-Wall Power Solution Kit, 3 ft Cord		
Part No.	Color	Plug Clearance
2A46-W-3	White	1.1"
2A46-LA-3	Light Almond	1.1"
2A46-I-3	Ivory	1.1"
2A46-B-3	Black	1.1"

Double Gang Décor In-Wall Power Solution Kit, 6 ft Cord		
Part No.	Color	Plug Clearance
2A46-W	White	1.1"
2A46-LA	Light Almond	1.1"
2A46-I	Ivory	1.1"
2A46-B	Black	1.1"

## Décor Recessed Receptacle Hi-Low Kit and Décor Wireport™ Plate

The basic décor style wall plate design to install power behind your flat panel HDTV and pass low voltage cables through the wall from your A/V equipment

**Kit includes:**

- 1-Gang Décor Recessed Receptacle (qty 1)
- Décor-Style Wireport™ Plate (qty 2)
- Single Gang Décor Wall Plate (qty 1)
- Double Gang Décor Wall Plate (qty 1)
- 2-Gang Dual Voltage Retro Work PVC box (qty 1)
- 1-Gang Low Voltage Mounting Bracket (qty 1)

**Décor Recessed Receptacle Double Gang Kit and Décor Wireport™ Plate**

Part No.	Color	Plug Clearance
2A4641-1G-W	White	1.1"
2A4641-1G-LA	Light Almond	1.1"
2A4641-1G-I	Ivory	1.1"
2A4641-1G-B	Black	1.1"

**2A4641-1G-W**



## Décor Recessed Receptacle Hi-Low Kit

The basic décor style wall plate design to install power and low voltage cables behind your flat panel HDTV

**Décor Recessed Receptacle Double Gang Kit**

Part No.	Color	Plug Clearance
2A4641-W	White	1.1"
2A4641-LA	Light Almond	1.1"
2A4641-I	Ivory	1.1"
2A4641-B	Black	1.1"

**2A4641-W**

**Kit includes:**

- 1-Gang Décor Recessed Receptacle (qty 1)
- Décor-Style Wireport™ Plate (qty 1)
- Double Gang Décor Wall Plate (qty 1)
- 2-Gang Dual Voltage Retro Work PVC box (qty 1)



## Metal Recessed Receptacle


- Use MIDLITE's® innovative 125V, 15 amp recessed receptacle to install power and low voltage cables behind your flat panel TV and audio & video devices
- Provides an affordable power solution for wall mounted HDTV flat panels
- Perfect for new and retrofit applications
- UL recognized Receptacle. Meets National Electric Code requirements
- Cables can be fed from the floor up and the ceiling down with ease
- For use with 2-gang dual voltage box (old work or new work)
- Plates are made of stainless steel or metal with a powder coat finish
- Includes 1.375" feed-thru opening with Black grommet



M5251SS

### Double Gang Metal Recessed Receptacle, w/screw hardware


Part No.	Color	Hole Size (Dia.)	Hole Area (Sq. In.)
M5251W	White	1.375"	1.484"
M5251SS	Stainless Silver		



M5251W

## Duplex Receptacle and Wireport™ with Grommet

- Flexibility to consolidate a standard duplex receptacle into a 1-gang Wireport™ plate
- Locate this combination next to your home theater equipment, ceiling projector, powered subwoofer, public venues where power and video is passed through the ceiling or wall, and small office environments
- Mounts directly to a dual voltage electrical box
- Plate is contractor size to cover imperfections in and around the drywall area



DR2G-GR10-WH

### Duplex Receptacle and Wireport™ with Grommet, w/screw hardware

Part No.	Color	Hole Size (Dia.)	Hole Area (Sq. In.)
DR2G-GR10-WH	White	1.425"	1.59"
DR2G-GR10-LA	Light Almond		
DR2G-GR10-IV	Ivory		
DR2G-GR10-BK	Black		

All products shown are patented

tel 508.676.5196 / toll free 800.606.5169 / fax 508.861.0105

# SPEEDPORT™

Fast & Easy Cable Pass Thru

2.0" Inner Diameter  
2 3/8" Hole Saw (dia.)



R2SP-B

Patent Pending



1.5" Inner Diameter  
2" Hole Saw (dia.)

R1SP-W

Use for :

Quick & Simple Installation



1. Hole Saw Cut



2. Mount



Low Voltage Bracket Not Required



3. Pass Thru Cables

- Home Theater Wiring
- Sound Bars
- Wireless Access Devices
- Security Cameras

# SPEEDPORT SC™

NEW!

Cable Pass Thru, Fastener & Anchor System

1.5" Inner Diameter  
1 7/8" Hole Saw (dia.)

Patent Pending



R1SPSC-W

Includes:  
2" Center Mounting Screw



Optional  
Screw Thru Hole  
Use 1/8" Drill



- Cable pass thru and fastener in one, easy to install anchor
- Reduce the cost and labor of installation - Low voltage brackets no longer needed


- Snap-in Screw Cap Provides Added Strength For Mounting Heavier Items on the Wall

Plate Height  
Just 1/10" Thin (.1")

**NEW!**

**COLOR SELECTION**

white	light almond	almond
ivory	brown	black



**Ultra Low Profile**  
1/10th" Thin (.1")

- Use for any Low Voltage Cabling, A/V, Telecom or Networking application
- Conceal Sound Bar & A/V cables behind the wall
- Ultra Low Profile
- The grommet insert only opens where cabling is present and maintains a closed clean area
- Screws hidden behind grommet

Speed Port™ 2" Hole Saw Diameter w/Grommet	
Part No.	Color
R1SP-W	White
R1SP-A	Almond
R1SP-LA	Light Almond
R1SP-I	Ivory
R1SP-B	Black
R1SP-BR	Brown

Speed Port™ 2 3/8" Hole Saw Diameter w/Grommet	
Part No.	Color
R2SP-W	White
R2SP-A	Almond
R2SP-LA	Light Almond
R2SP-I	Ivory
R2SP-B	Black
R2SP-BR	Brown



Ideal for use with : Box speakers on wall, sound bars, wireless access devices, security cameras

**Holds Up To 40lbs.**



**Speed Port SC™  
2" Hole Saw Diameter  
w/Screw Cap**

Part No.	Color
R1SPSC-W	White
R1SPSC-A	Almond
R1SPSC-LA	Light Almond
R1SPSC-I	Ivory
R1SPSC-B	Black
R1SPSC-BR	Brown



# Wireport™ Wall Plates

- Used where AV cables pass through the wall such as behind flat panel HDTVs and head end AV gear
- By eliminating the connectors at the wall, the installer reduces labor and material costs and improves signal integrity
- Cables can be fed from the floor up and the ceiling down with ease
- Attaches to standard 1-gang and 2-gang low voltage backless boxes • Sold individually or in master packs of 25

Single Gang Wireport™ w/screw hardware		
Part No.	Color	Hole Size (Dia.)
1GWH	White	1.56"
1GAL	Almond	
1GLA	Light Almond	
1GIV	Ivory	1.92"
1GBK	Black	
1GBR	Brown	


Double Gang Wireport™ w/screw hardware		
Part No.	Color	Hole Size (Dia.)
2GWH	White	1.8"
2GAL	Almond	
2GLA	Light Almond	
2GIV	Ivory	2.54"
2GBK	Black	
2GBR	Brown	

Décor-Style Wireport™ w/screw hardware		
Part No.	Color	Hole Size (Dia.)
DC1WH	White	1.8"
DC1AL	Almond	
DC1LA	Light Almond	
DC1IV	Ivory	2.54"
DC1BK	Black	
DC1BR	Brown	



## 1-Gang Metal Wireport™ Plates

- Attaches to standard 1-gang low voltage backless box
- Includes 1" feed-thru opening with Black grommet
- Plates are made of stainless steel or metal with a powder coat finish



## 2-Gang Metal Wireport™ Plates

- Attaches to standard 2-gang low voltage backless box
- Includes 1.625" feed-thru opening with Black grommet
- Plates are made of stainless steel or metal with a powder coat finish



Single Gang Metal Wireport™ w/screw hardware		
Part No.	Color	Hole Size (Dia.)
M1GWH	White	1"
M1GIV	Ivory	
M1GS	Stainless Steel	

Double Gang Metal Wireport™ w/screw hardware		
Part No.	Color	Hole Size (Dia.)
M2GWH	White	1.625"
M2GSS	Stainless Steel	

# Wireport™ Wall Plates with Grommet

- Used where A/V cables pass through the wall such as behind flat panel HDTVs and head end A/V gear
- Attaches to standard 1-gang and 2-gang low voltage backless boxes
- The grommet insert only opens where cabling is present and maintains a closed clean appearance
- Cables can be fed from the floor up and the ceiling down with ease • Sold individually or in master packs of 25



**2GWH-GR2**



**1GWH-GR2**

## Double Gang Wireport™ and Grommet w/screw hardware

Part No.	Color	Hole Size (Dia.)
2GWH-GR2	White	1.8"
2GAL-GR2	Almond	
2GLA-GR2	Light Almond	
2GIV-GR2	Ivory	
2GBK-GR2	Black	<b>Hole Area (Sq. In.)</b> 2.54"
2GBR-GR2	Brown	



**GR2-WH**

## Single Gang Wireport™ and Grommet w/screw hardware

Part No.	Color	Hole Size (Dia.)
1GWH-GR1	White	1.425"
1GAL-GR1	Almond	
1GLA-GR1	Light Almond	
1GIV-GR1	Ivory	
1GBK-GR1	Black	<b>Hole Area (Sq. In.)</b> 1.59"
1GBR-GR1	Brown	



**GR1-WH**

## Single Gang Grommet

Part No.	Color	Hole Size (Dia.)
GR1-WH	White	1.56"
GR1-AL	Almond	
GR1-LA	Light Almond	
GR1-IV	Ivory	
GR1-BK	Black	<b>Hole Area (Sq. In.)</b> 1.92"
GR1-BR	Brown	

## Double Gang Grommet

Part No.	Color	Hole Size (Dia.)
GR2-WH	White	1.8"
GR2-AL	Almond	
GR2-LA	Light Almond	
GR2-IV	Ivory	
GR2-BK	Black	<b>Hole Area (Sq. In.)</b> 2.54"
GR2-BR	Brown	

# Cable Vent™ Recessed Reversible Wall Plate

- Reversible vent design. Rotate the Cable Vent™ for a front facing or rear facing installation
- Used where A/V cables pass through the wall such as behind flat panel HDTVs and head end A/V gear
- Attaches to standard 1-gang low voltage backless boxes
- Patented keyed-tab feature holds plate together
- Allows easy installation in applications where cabling is already connected to equipment
- Sold individually or in master packs of 25

## Single Gang Cable Vent™ Wall Plate, w/screw hardware

Part No.	Color	Hole Size (Dia.)
1GCV-WH	White	1.48" x 1.12"
1GCV-LA	Light Almond	
1GCV-IV	Ivory	<b>Hole Area (Sq. In.)</b> 1.65"
1GCV-BK	Black	



**1GCV-WH**

## COLOR SELECTION



Cable Vent™ Plates are patent pending (other patents apply)

[www.midlite.com](http://www.midlite.com)

# SplitPort<sup>+</sup> Wall Plates

- Used where A/V cables pass through the wall such as behind flat panel HDTV and head end A/V gear
- Contractor size (3.15" w x 4.91" h) wall plate to cover up all surface imperfections surrounding low voltage box edges
- Attaches to standard 1-gang low voltage backless boxes
- Patented keyed-tab feature holds plate together
- Allows easy installation in applications where cabling is already connected to equipment
- The grommet insert only opens where cabling is present and maintains a closed clean area
- Sold individually or in master packs of 25



**1GSPWH-GR10**

Single Gang SplitPort™ Plus w/screw hardware		
Part No.	Color	Hole Size (Dia.)
1GSPWH	White	1.4"
1GSPLA	Light Almond	Hole Area (Sq. In.) 1.65"
1GSPIV	Ivory	
1GSPBK	Black	

Single Gang SplitPort™ Plus with Grommet w/screw hardware		
Part No.	Color	Hole Size (Dia.)
1GSPWH-GR10	White	1.4"
1GSPLA-GR10	Light Almond	Hole Area (Sq. In.) 1.65"
1GSPIV-GR10	Ivory	
1GSPBK-GR10	Black	


**COLOR SELECTION**

white	light almond
ivory	black

# SplitPort Wall Plates

- Used where A/V cables pass through the wall such as behind flat panel HDTV and head end A/V gear
- Attaches to standard 1-gang low voltage backless boxes
- Patented keyed-tab feature holds plate together
- Allows easy installation in applications where cabling is already connected to equipment
- Sold individually or in master packs of 25

**2GSWH**




Single Gang SplitPort™ w/screw hardware		
Part No.	Color	Hole Size (Dia.)
1GSWH	White	Hole Size (Dia.) 1.4"
1GSAL	Almond	
1GSLA	Light Almond	
1GSIV	Ivory	Hole Area (Sq. In.) 1.65"
1GSBK	Black	
1GSBR	Brown	

**COLOR SELECTION**

white	light almond	almond
ivory	brown	black

Double Gang SplitPort™ w/screw hardware		
Part No.	Color	Hole Size (Dia.)
2GSWH	White	Hole Size (Dia.) 1.8"
2GSAL	Almond	
2GSLA	Light Almond	
2GSIV	Ivory	Hole Area (Sq. In.) 2.54"
2GSBK	Black	
2GSBR	Brown	



**1GSWH**





# Décor Brush Plate **NEW!**

- Offers a clean on-wall cable management pass through
- Used where AV cables pass through the wall such as behind flat panel HDTVs and head end AV gear
- By eliminating the connectors at the wall, the installer reduces labor and material costs, while improving signal integrity
- Cables can be fed from the floor up and the ceiling down with ease
- Attaches to standard 1-gang or 2-gang low voltage backless boxes

## Décor Brush Plate with White Brush

Part No.	Plate Color	Hole Size 1.3" W x 2.63" H
DBPWH	White	
DBPB-W	Black	
DBPI-W	Ivory	
DBPLA-W	Light Almond	



**DBPB-B**



**DBPWH**

## Décor Brush Plate with Black Brush

Part No.	Plate Color	Hole Size 1.3" W x 2.63" H
DBPBK	White	
DBPB-B	Black	
DBPI-B	Ivory	
DBPLA-B	Light Almond	



Décor Brush Plates are patented

# POCKET PLATE™

**NEW!**

## All-in-One Recessed Box/Wallplate Combo



- Use with Standard Décor Straps
- Easy Installation
- Only 2 Screws to Service
- Built-in Mounting Brackets
- Recessed for Low Voltage & Power Jumper Décor Style Devices

### COLOR SELECTION



includes:

All-in-One Combo Plate & Installation hardware



Recess  
All Your  
Low Voltage  
Connections!



**2GPP-1W**

### Double Gang Pocket Plate All-in-One Recessed Box/Wallplate Combo

Part No.	Color	Recessed Depth 1.5"
2GPP-1W	White	
2GPP-1LA	Light Almond	
2GPP-1IV	Ivory	
2GPP-1B	Black	



**1GPP-1W**

### Single Gang Pocket Plate All-in-One Recessed Box/Wallplate Combo

Part No.	Color	Recessed Depth 1.5"
1GPP-1W	White	
1GPP-1LA	Light Almond	
1GPP-1IV	Ivory	
1GPP-1B	Black	

Patent Pending

## 1-Gang Metal SplitPort™ Plates

- Attaches to standard 1-gang low voltage backless box
- Includes 1" feed-thru opening with Black grommet



Single Gang Metal SplitPort™ w/screw hardware		
Part No.	Color	Hole Size (Dia.)
M1GSWH	White	1"
M1GSIV	Ivory	Hole Area (Sq. In.)
M1GSS	Stainless Steel	

## Split Port Recessed Plate

- Contractor size SplitPort™ Recessed plate is larger than a standard wall plate to cover irregular sheet rock cut outs and damage around the low voltage box
- Saves installation time since the cables can be run and then plate installed after
- Allows easier cable handling for cable runs that loop back over the scoop
- The circular design of the plate hole is less obtrusive than other cable recess pass through plates
  - Designed with patented keyed-tab locking feature that holds the wall plate together to withstand pulling and pushing of cables as the installer organizes them

- Sold individually or in master packs of 25



**1GSRWH**

Single Gang SplitPort™ Recessed w/screw hardware			
Part No.	Color	Hole Size (Dia.)	
1GSRWH	White	1.5"	
1GSRLA	Light Almond	Hole Area (Sq. In.)	
1GSRIV	Ivory		1.76"
1GSRBK	Black		

All SplitPort™ products shown are patented

## Custom 360<sup>™</sup> Right Angle HDMI Adapter and Wall Plate

- Custom adapter rotates 360° in increments of 45° to align connector with cable path
- Connector and Cable HDMI 1.3a Certified, UL CL3 rated cable for in wall use
- Field tested to be used in applications up to 11 meters.
- Supported resolution 480p, 720p, 1080i, and 1080p
- Incorporates SplitPlate<sup>™</sup> patented wall plate design with snap fit connection

### Custom 360<sup>™</sup> Right Angle HDMI Adapter and Wall Plate Kit w/screw hardware

Part No.	Color
A360HDMI-WH	White
A360HDMI-LA	Light Almond
A360HDMI-IV	Ivory
A360HDMI-BK	Black

- Contractor size (3.15" w x 4.91" h) wall plate to cover up all surface imperfections surrounding low voltage imperfections surrounding low voltage box edges
- Sold individually or in master packs of 25



Rotates  
360°

Install HDMI cable parallel to the wall for closer placement of flat panel to wall!

A360HDMI-WH

Custom 360<sup>™</sup> HDMI Wall Plate patented

### Custom 360<sup>™</sup> Right Angle HDMI Adapter


Part No.	Color
C360A-7-WH	White
C360A-7-LA	Light Almond
C360A-7-IV	Ivory
C360A-7-BK	Black



C360A-7-WH

### Custom 360<sup>™</sup> HDMI Wall Plate w/screw hardware

Part No.	Color
HDMI-1GWH	White
HDMI-1GLA	Light Almond
HDMI-1GIV	Ivory
HDMI-1GBK	Black



HDMI-1GWH

## 2 1/2<sup>™</sup> Wall Plate Breakaway Screws

- One screw you can service 2 1/2", 2", and 1 1/2" depths
- Use a pair of pliers to break at the various depths
- Save time on mounting plates to different splash board, baseboard, and wall depths
- Sold in both master packs of 10 boxes of 100 screw per color or individual boxes of 100 screws

### Breakaway Points on Screws



### 2 1/2<sup>™</sup> Breakaway Screws, Phillips Head

Part No.	Color
212SWB-P	White
212SAB-P	Almond
212SIB-P	Ivory
212SBB-P	Black

### 2 1/2<sup>™</sup> Breakaway Screws, Slotted

Part No.	Color
212SWB	White
212SAB	Almond
212SIB	Ivory
212SBB	Black



212SWB

212SWB-P

## Steel Safety Plates

- Steel Safety Plates help protect cabling from dry wall nails and screws. (L 2 1/2" W 1 1/2")
- Available individually or in master packs of 100

### Steel Safety Plates

Part No.	Color
SP100	Steel

SP100



# Wire Braided Wrap Slewing

- Use the Wire Braided Wrap or Wire Braided Wrap Split for managing and hiding cables exiting the Wireport™ and Splitport™ plate or any hole which cables pass through.
- The aesthetically pleasing sleek look is combined with the properties of a 10 mil PET braided construction which makes this product rugged to withstand cuts, abrasions, and tension.
- Use this product where cables exit the wall and need to be managed for an uncluttered clean appearance.
- The cables are completely covered in the cable management application.
- The sleeving cuts easily with a hot knife for a clean edge.
- The Wire Braided Wrap Split incorporates a lateral split which allows the tube to open up to accommodate a wide variety of bundling requirements, and the semi-rigid braid configuration simply closes around the entire installation without the need for any additional fasteners. The 25% edge overlap (at nominal diameter) allows coverage around cables.
- The Wire Braided Wrap Split will bend to a tight radius without distorting or splitting open

PET50-BK

PF6-50-BK




Black Wire Braided Wrap Slewing		
Part No.	Color	Size
PET50-BK	Black	1/2" Dia. x 75'
PET75-BK	Black	3/4" Dia. x 50'
PET100-BK	Black	1" Dia. x 50'
PET150-BK	Black	1 1/2" Dia. x 25'
PET200-BK	Black	2" Dia. x 25'

Black Wire Braided Wrap Split Slewing		
Part No.	Color	Size
PF6-50-BK	Black	1/2" Dia. x 75'
PF6-75-BK	Black	3/4" Dia. x 50'
PF6-100-BK	Black	1" Dia. x 50'
PF6-150-BK	Black	1 1/2" Dia. x 25'
PF6-200-BK	Black	2" Dia. x 25'

# Pli-Flange™ Cable Slewing

- Braided sleeving with flange retains sleeve in wall (no tape or wire ties needed)
- Flexible flange is easily inserted and secured within both the Wireport™ and SplitPort™ plates
- Keeps the cables completely covered in the cable management application
- Aesthetically pleasing sleek look is combined with the properties or PET braided construction which makes this product rugged to withstand cuts, abrasions, and tension
- Available in 1 1/4" diameter to fit both the 1-gang Wireport™ and SplitPort™ plates
- Available in 1 3/4" diameter to fit both the 2-gang Wireport™ and SplitPort™ plates



1PF3-BK

1PF3-WH


White Pli-Flange™ Cable Slewing		
Part No.	Color	Size
1PF3-WH	White	1 1/4" Dia. x 3'
1PF5-WH	White	1 1/4" Dia. x 5'
1PF7-WH	White	1 1/4" Dia. x 7'
1PF10-WH	White	1 1/4" Dia. x 10'
2PF3-WH	White	1 3/4" Dia. x 3'
2PF5-WH	White	1 3/4" Dia. x 5'
2PF7-WH	White	1 3/4" Dia. x 7'
2PF10-WH	White	1 3/4" Dia. x 10'

Black Pli-Flange™ Cable Slewing		
Part No.	Color	Size
1PF3-BK	Black	1 1/4" Dia. x 3'
1PF5-BK	Black	1 1/4" Dia. x 5'
1PF7-BK	Black	1 1/4" Dia. x 7'
1PF10-BK	Black	1 1/4" Dia. x 10'
2PF3-BK	Black	1 3/4" Dia. x 3'
2PF5-BK	Black	1 3/4" Dia. x 5'
2PF7-BK	Black	1 3/4" Dia. x 7'
2PF10-BK	Black	1 3/4" Dia. x 10'

www.midlite.com

tel 508.676.5196 / toll free 800.606.5169 / fax 508.861.0105

## Smart Strip



**SCG5**

### Power Adapter Cord

Part No.	Color	Length
SCG5	White	6'

- Seven outlets work together, autoswitching your devices on/off automatically, to save you money on your electric bill.
- 1225 joules of surge protection keep your equipment safe from even the harshest power spikes
- Conveniently-spaced outlets and a 45-degree angled space saver plug make the Smart Strip a friendly addition to your electronic systems
- Plug your HDTV flat panel into the blue "Control" outlet and your A/V gear into the white "Automatically Switched" outlets. When the HDTV is turned on, the "Automatically Switched" outlets are energized. Powering the HDTV off completely cuts power to the "Automatically Switched" outlets. Plug in devices you do not want to turn off such as a DVR, cable box or satellite receiver to the "Constant Hot" outlets.
- 1225 joules of surge protection keep your equipment safe from even the harshest power spikes

## In-Line Surge and Lightning Suppressor with RFI Filtering

- 1575 joules of protection, one of the highest ratings in its class!
- The 6' cord is long enough for joining TV arms and front projector applications and is equally concealed behind HDTV equipment
- Shields your equipment from lightning, utility company surges, and fluctuations and with RFI filter picture enhancement
- Available adaptor compatible with any flat panel power cord connector
- UL Certified E333575

### In-Line Surge and Lightning Suppressor

Part No.	Color	Length	Joules
120-6B	Black	6'	1575



Replace Your Factory HDTV Power Cable and Install this In-Line Surge Protector!



**120-6B**

## Power Cord Adapter

- Adapter Cord designed to fit MIDLITE's 120-6B when used on a Slim Line TV and other female 3-prong plugs that do not have a removable IEC outlet on the back like some PC's to power printers, monitors, and other 120VAC devices.
- 1' in length and can handle 10 amperes maximum

### Power Cord Adapter

Part No.	Color	Length
1AIEC	Black	1'



**1AIEC**

## Hot Knife

- Cut braided sleeving to custom lengths on the job
- Provides a melted edge to the braided sleeve end to stop fraying
- UL Listed. 120 Volts, 150 Watts

### Black Wire Braided Wrap Sleeving

Part No.	Color
MD1500	Hot Knife
MD1500-1	Replacement Blades



**MD1500**

## NEMA 5-15P to NEMA 5-15R Power Cords



**6W** 6 ft.

NEMA 5-15P to NEMA 5-15R Power Cord			
Part No.	Color	Length	Description
6W	White	6'	14 gauge 15 amp power cord



**3B** 3 ft.

**6B** 6 ft.

NEMA 5-15P to NEMA 5-15R Power Cords			
Part No.	Color	Length	Description
3B	Black	3'	14 gauge 15 amp power cord
6B	Black	6'	14 gauge 15 amp power cord

## Right Angle IEC C13 to NEMA 5-15P Power Cords



**1RA-W** 1 ft.

**6RA-W** 6 ft.

Right Angle IEC C13 to NEMA 5-15P Power Cords			
Part No.	Color	Length	Description
1RA-W	White	1'	14 gauge 15 amp power cord
6RA-W	White	6'	14 gauge 15 amp power cord



**6RA-13** 6 ft.

Right Angle IEC C13 to NEMA 5-15P Power Cord			
Part No.	Color	Length	Description
6RA-13	Black	3'	14 gauge 15 amp power cord



**6RA-19-W** 3 ft.

Right Angle IEC C13 to NEMA 5-20P Power Cord			
Part No.	Color	Length	Description
6RA-19-W	White	3'	12 gauge 20 amp power cord



# Index

120-6B.....	21	2A46-B-3.....	10	4641-B.....	9	GR2-WH.....	15
1AIEC.....	21	2A46-I.....	10	4641-I.....	9	HDMI-1GBK.....	19
1GAL.....	14	2A46-I-3.....	10	4641-LA.....	9	HDMI-1GIV.....	19
1GAL-GR1.....	15	2A46-LA.....	10	4641-W.....	9	HDMI-1GLA.....	19
1GBK.....	14	2A46-LA-3.....	10	4642-B.....	9	HDMI-1GWH.....	19
1GBK-GR1.....	15	2A46-W.....	10	4642-I.....	9	IEC-46W.....	4
1GBR.....	14	2A46-W-3.....	10	4642-LA.....	9	IEC-46W-6RA.....	6
1GBR-GR1.....	15	2A4641-1G-B.....	10	4642-W.....	9	IEC20-46W-6RA.....	7
1GCV-BK.....	15	2A4641-1G-I.....	10	6B.....	20	LV1.....	6,8,9
1GCV-IV.....	15	2A4641-1G-LA.....	10	6RA-13.....	20	LVDR2.....	6,8,9
1GCV-LA.....	15	2A4641-1G-W.....	10	6RA-W.....	20	M1GIV.....	14
1GCV-WH.....	15	2A4641-B.....	10	6W.....	20	M1GS.....	14
1GIV.....	14	2A4641-I.....	10	A2GESR-B.....	8	M1GSIV.....	18
1GIV-GR1.....	15	2A4641-LA.....	10	A2GESR-B-3.....	8	M1GSS.....	18
1GLA.....	14	2A4641-W.....	10	A2GESR-I.....	8	M1GSWH.....	18
1GLA-GR1.....	15	2A5251-1G-B.....	7	A2GESR-I-3.....	8	M1GWH.....	14
1GPP-1B.....	17	2A5251-1G-I.....	7	A2GESR-LA.....	8	M2GSS.....	14
1GPP-1IV.....	17	2A5251-1G-LA.....	7	A2GESR-LA-3.....	8	M2GWH.....	14
1GPP-1LA.....	17	2A5251-1G-W.....	7	A2GESR-W.....	8	M5251SS.....	11
1GPP-1W.....	17	2A5251-B.....	7	A2GESR-W-3.....	8	M5251W.....	11
1GSAL.....	16	2A5251-I.....	7	A360HDMI-BK.....	18	MD1500.....	20
1GSBK.....	16	2A5251-LA.....	7	A360HDMI-IV.....	18	MD1500-1.....	20
1GSBR.....	16	2A5251-W.....	7	A360HDMI-LA.....	18	OM52D.....	6
1GSIV.....	16	2GAL.....	14	A360HDMI-WH.....	18	PC2RB.....	5
1GSLA.....	16	2GAL-GR2.....	15	A46-B.....	9	PC2RW.....	5
1GSPBK.....	16	2GBK.....	14	A46-B-3.....	9	PET100-BK.....	20
1GSPBK-GR10.....	16	2GBK-GR2.....	15	A46-I.....	9	PET150-BK.....	20
1GSPIV.....	16	2GBR.....	14	A46-I-3.....	9	PET200-BK.....	20
1GSPIV-GR10.....	16	2GBR-GR2.....	15	A46-LA.....	9	PET50-BK.....	20
1GSPLA.....	16	2GESR-GR10-BK.....	8	A46-LA-3.....	9	PET75-BK.....	20
1GSPLA-GR10.....	16	2GESR-GR10-IV.....	8	A46-W.....	9	PF6-100-BK.....	20
1GSPWH.....	16	2GESR-GR10-LA.....	8	A46-W-3.....	9	PF6-150-BK.....	20
1GSPWH-GR10.....	16	2GESR-GR10-WH.....	8	B114R.....	6,9	PF6-200-BK.....	20
1GSRBK.....	18	2GESR-5251-B.....	8	C360A-7-BK.....	12	PF6-50-BK.....	20
1GSRIV.....	18	2GESR-5251-I.....	8	C360A-7-IV.....	12	PF6-75-BK.....	20
1GSRLA.....	18	2GESR-5251-LA.....	8	C360A-7-LA.....	12	PJUSB-3.....	5
1GSRWH.....	18	2GESR-5251-W.....	8	C360A-7-WH.....	12	PJUSB-3B.....	5
1GSWH.....	16	2GESR-5266-B.....	8	DBPB-B.....	13	PJW-7R.....	4
1GWH.....	14	2GESR-5266-I.....	8	DBPB-W.....	13	PJW-7R-MC.....	4
1GWH-GR1.....	15	2GESR-5266-LA.....	8	DBPBK.....	13	PJW-7R2.....	4
1PF10-BK.....	20	2GESR-5266-W.....	8	DBPI-B.....	13	PJW-7R2-MC.....	4
1PF10-WH.....	20	2GIV.....	14	DBPI-W.....	13	R1SP-A.....	12-13
1PF3-BK.....	20	2GIV-GR2.....	15	DBPLA-B.....	13	R1SP-B.....	12-13
1PF3-WH.....	20	2GLA.....	14	DBPLA-W.....	13	R1SP-BR.....	12-13
1PF5-BK.....	20	2GLA-GR2.....	15	DBPWH.....	13	R1SP-I.....	12-13
1PF5-WH.....	20	2GPP-1B.....	17	DC1AL.....	14	R1SP-LA.....	12-13
1PF7-BK.....	20	2GPP-1IV.....	17	DC1BK.....	14	R1SP-W.....	12-13
1PF7-WH.....	20	2GPP-1LA.....	17	DC1BR.....	14	R1SPSC-A.....	12-13
1RA-W.....	22	2GPP-1W.....	17	DC1IV.....	14	R1SPSC-B.....	12-13
212SAB.....	19	2GSAL.....	16	DC1LA.....	14	R1SPSC-BR.....	12-13
212SAB-P.....	19	2GSBK.....	16	DC1WH.....	14	R1SPSC-I.....	12-13
212SBB.....	19	2GSBR.....	16	DR2G-GR10-BK.....	11	R1SPSC-LA.....	12-13
212SBB-P.....	19	2GSLA.....	16	DR2G-GR10-IV.....	11	R1SPSC-W.....	12-13
212SIB.....	19	2GSIV.....	16	DR2G-GR10-LA.....	11	R2SP-A.....	12-13
212SIB-P.....	19	2GSWH.....	16	DR2G-GR10-W.....	11	R2SP-B.....	12-13
212SWB.....	19	2GWH.....	14	GR1-AL.....	15	R2SP-BR.....	12-13
212SWB-P.....	19	2GWH-GR2.....	15	GR1-BK.....	15	R2SP-I.....	12-13
22APJB-7R.....	3	2PF10-BK.....	20	GR1-BR.....	15	R2SP-LA.....	12-13
22APJB-7R-MC.....	3	2PF10-WH.....	20	GR1-IV.....	15	R2SP-W.....	12-13
22APJIV-7R.....	3	2PF3-BK.....	20	GR1-LA.....	15	SCG5.....	21
22APJIV-7R-MC.....	3	2PF3-WH.....	20	GR1-WH.....	15		
22APJLA-7R.....	3	2PF5-BK.....	20	GR2-AL.....	15		
22APJLA-7R-MC.....	3	2PF5-WH.....	20	GR2-BK.....	15		
22APJW-7R.....	3	2PF7-BK.....	20	GR2-BR.....	15		
22APJW-7R-MC.....	3	2PF7-WH.....	20	GR2-IV.....	15		
2A46-B.....	10	3B.....	22	GR2-LA.....	15		

## MIDLITE Corporation

115 Wordell Street  
Fall River, MA 02721

Tel. 508.676.5169

Toll Free 800.606.5169

Fax 508.861.0105

[www.midlite.com](http://www.midlite.com) 

